ELSEVIER

VOL. 215 NOS. 1–2, 14 MARCH 2001

international journal of pharmaceutics

www.elsevier.com/locate/ijpharm

Cited in: *BIOSIS/Biological Abstracts, CAB Abstracts, Chemical Abstracts Service, Current Contents (Life Sciences, Clinical Medicine), EMBASE/Excerpta Medica, Elsevier BIOBASE/Current Advances in Biological Sciences, International Pharmaceutical Abstracts, MEDLINE/Index Medicus, PASCAL M, Science Citation Index*

CONTENTS

Editorial Note 1

Research papers

Suppression of agglomeration in fluidized bed coating. IV. Effects of sodium citrate concentration on the suppression of particle agglomeration and the physical properties of HPMC film
T. Nakano, H. Yuasa (Japan) 3

Parenteral water/oil emulsions containing hydrophilic compounds with enhanced in vivo retention: formulation, rheological characterisation and study of in vivo fate using whole body gamma-scintigraphy
S. Bjerregaard, H. Pedersen, H. Vedstesen, C. Vermehren, I. Söderberg, S. Frokjaer (Denmark) 13

Crystallization of paracetamol from solution in the presence and absence of impurity
K.V.R. Prasad, R.I. Ristic, D.B. Sheen, J.N. Sherwood (UK) 29

A simple method for preparation of immuno-magnetic liposomes
M.M. Elmi, M.N. Sarbolouki (Iran) 45

Comparison of human skin or epidermis models with human and animal skin in in-vitro percutaneous absorption
F.P. Schmook, J.G. Meingassner, A. Billich (Austria) 51

Transdermal delivery of methotrexate: iontophoretic delivery from hydrogels and passive delivery from microemulsions
M.J. Alvarez-Figueroa, J. Blanco-Méndez (Spain, Chile) 57

Long-term delivery of all-*trans*-retinoic acid using biodegradable PLLA/PEG-PLLA blended microspheres
Y. Choi, S.Y. Kim, S.H. Kim, K.-S. Lee, C. Kim, Y. Byun (South Korea) 67

Microionization constants: novel approach for the determination of the zwitterionic equilibrium of hydroxyphenylalkylamines by photometric titration
G. Peinhardt, M. Wiese (Germany) 83

In vitro skin permeation of estradiol from various proniosome formulations
J.-Y. Fang, S.-Y. Yu, P.-C. Wu, Y.-B. Huang, Y.-H. Tsai (Taiwan) 91

Gel-forming erodible inserts for ocular controlled delivery of ofloxacin
G. Di Colo, S. Burgalassi, P. Chetoni, M.P. Fiaschi, Y. Zambito, M.F. Saettone (Italy) 101

Nebulisation of rehydrated freeze-dried beclomethasone dipropionate liposomes
Y. Darwis, I.W. Kellaway (UK) 113

Formulation and process optimization to eliminate picking from market image tablets
A. Sabir, B. Evans, S. Jain (USA) 123

Complexation with tolbutamide modifies the physicochemical and tableting properties of hydroxypropyl-β-cyclodextrin
E. Suihko, O. Korhonen, T. Järvinen, J. Ketolainen, P. Jarho, E. Laine, P. Paronen (Finland) 137

The relevance of nitrendipine erythrocyte partitioning for the variability of its bioavailability parameters
G. Antolič, F. Kozjek, S. Primožič (Slovenia) 147

Covalent coupling of asparagus pea and tomato lectins to poly(lactide) microspheres
M.-J. Montisci, G. Giovannuci, D. Duchêne, G. Ponchel (France) 153

Inulin glasses for the stabilization of therapeutic proteins
W.L.J. Hinrichs, M.G. Prinsen, H.W. Frijlink (The Netherlands) 163

(Contents continued on page 275)

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

0378-5173(20010314)215:1:2;1-6

05049

(Contents continued from outside back cover)

Gelatin microspheres crosslinked with D,L-glyceraldehyde as a potential drug delivery system: preparation, characterisation, in vitro and in vivo studies
M.A. Vandelli, F. Rivasi, P. Guerra, F. Forni, R. Arletti (Italy) 175
Evaluation of possible reasons for the low phenylalanine ammonia lyase activity in cellulose nitrate membrane microcapsules
S. Habibi-Moini, A.P. D'mello (USA) 185
The complement system enhances the clearance of phosphatidylserine (PS)-liposomes in rat and guinea pig
T.M. Huong, T. Ishida, H. Harashima, H. Kiwada (Japan) 197
Physical properties and stability of two emulsion formulations of propofol
J. Han, S.S. Davis, C. Washington (UK) 207
Effects of initial particle size on the tableting properties of L-lysine monohydrochloride dihydrate powder
C. Sun, D.J.W. Grant (USA) 221
The effects of terpene enhancers on the percutaneous permeation of drugs with different lipophilicities
A.F. El-Kattan, C.S. Asbill, N. Kim, B.B. Michniak (USA) 229
Lipid extraction and iontophoretic transport of leuprolide acetate through porcine epidermis
S.K. Rastogi, J. Singh (USA) 241
Dehydration behavior of nedocromil magnesium pentahydrate
H. Zhu, D.J.W. Grant (USA) 251

Note
Transport of poly amidoamine dendrimers across Madin–Darby canine kidney cells
F. Tajarobi, M. El-Sayed, B.D. Rege, J.E. Polli, H. Ghandehari (Sweden, USA) 263

Noticeboard 269
Contents continued 275